



Order #: 80282
Retail Batch #:
G241030001

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Order Information

Order #: 80282
Order Name: PurMed CBD 3000mg Oil Tincture
Retail Batch #: G241030001
Received: 10/08/2024 10:38:23
Complete: 10/16/2024 00:22:53

Batch Information

Create Date:
Exp. Date:
Size: 0

Total Qty.: 0
Matrix: Tincture
Pickup Weight: N/A

CANNABINOID PROFILE
TESTED

LABEL CLAIM
PASS

MICROBIAL ANALYSIS
PASS

RESIDUAL SOLVENTS
PASS

AGRICULTURAL AGENTS
PASS

HEAVY METAL ANALYSIS
PASS

TERPENES
NOT TESTED

MOISTURE ANALYSIS
NOT TESTED

WATER ACTIVITY
NOT TESTED

FILTH & FOREIGN
NOT TESTED

HOMOGENEITY
NOT TESTED

MYCOTOXIN ANALYSIS
PASS



0.0000 %
Total THC

11.3520 %
Total CBD

11.3953 %
Total Cannabinoids

Diana Asensio, M.S.

Lab Director



Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 80282
Retail Batch #:
G241030001

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Sample Prep

Tech: 3381
SOP: 418
Batch Number: 60537
Batch Date: 10/08/2024 12:08:34

Sample Analysis

Date/Time: 10/09/2024 12:25:35
Tech: 3445
SOP: 417
Final Weight: 0.1936 g
Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

ND
Total THC

11.3520 %
Total CBD

11.3953 %
Total Cannabinoids

ND
THC Per Unit

106.776 mg
CBD Per Unit

107.209 mg
Cannabinoids Per Unit

ND
THC Per Pkg

3203.280 mg
CBD Per Pkg

3216.270 mg
Cannabinoids Per Pkg

Cannabinoid Potency

ANALYTE	LOD/LOQ (mg/g)	DIL	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR
CBC	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBD	0.064/0.1954	1	11.3520	111.352	106.776	3203.280	3000	6.7
CBDA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	1	0.0433	0.433	0.409	12.276	--	--
CBG	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBGA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	1	ND	ND	ND	ND	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	ND	ND	ND	ND	--	--

Additional Cannabinoids

ANALYTE	LOD/LOQ (mg/g)	DIL	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR
CBDVA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBL	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBT	0.064/0.1954	1	ND	ND	ND	ND	--	--
d10-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THCP	0.064/0.1954	1	ND	ND	ND	ND	--	--
exo-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--

mg/unit = 1 (g) per unit x 0.945 (g/ml) x cannabinoid concentration (mg/g)
Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	ND	ND	ND	ND
Total CBD	11.3520	113.520	106.776	3203.280
Total Cannabinoids	11.3953	113.953	107.209	3216.270

Diana Asensio, M.S.

Lab Director



Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



This COA is governed by the terms and conditions listed on: <https://www.greenscienti-clabs.com/terms-of-use>

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 80282

Retail Batch #:

G241030001

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 3393

SOP: 402

Batch Number: 60537

Batch Date: 10/08/2024 13:08:34

Sample Analysis

Date/Time: 10/09/2024 12:05:52

Tech: 3445

SOP: 402

Final Weight: 0.5057 g

Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cy uthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 3393

SOP: 432

Batch Number: 60537

Batch Date: 10/08/2024 11:58:44

Sample Analysis

Date/Time: 10/09/2024 11:47:13

Tech: 3445

SOP: 424

Final Weight: 0.1035 g

Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
A atoxin B1	2/10	1	20	ND
A atoxin B2	2/10	1	20	ND
A atoxin G1	2/10	1	20	ND
A atoxin G2	2/5	1	20	ND
Ochratoxin A	2/10	1	20	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208

Davie, FL 33314

(954) 514-9343





CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 80282

Retail Batch #:

G241030001

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 3393

SOP: 432

Batch Number: 60537

Batch Date: 10/08/2024 12:33:07

Sample Analysis

Date/Time: 10/09/2024 17:37:19

Tech: 3445

SOP: 424

Final Weight: 0.1035 g

Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppm)	DIL	ACTION LEVEL(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL	ACTION LIMIT(ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	1	0.3	ND	Imazalil	0.002/0.01	1	0.1	ND
Acephate	0.002/0.04	1	3	ND	Imidacloprid	0.002/0.002	1	3	ND
Acequinocyl	0.002/0.002	1	2	ND	Kresoxim-methyl	0.002/0.002	1	1	ND
Acetamiprid	0.002/0.002	1	3	ND	Malathion	0.01/0.04	1	2	ND
Aldicarb	0.002/0.01	1	0.1	ND	Metaxyl	0.002/0.004	1	3	ND
Azoxystrobin	0.002/0.04	1	3	ND	Methiocarb	0.002/0.01	1	0.1	ND
Bifenazate	0.002/0.002	1	3	ND	Methomyl	0.002/0.002	1	0.1	ND
Bifenthrin	0.002/0.002	1	0.5	ND	Mevinphos	0.009/0.036	1	0.1	ND
Boscalid	0.01/0.05	1	3	ND	Myclobutanil	0.002/0.04	1	3	ND
Carbaryl	0.002/0.004	1	0.5	ND	Naled	0.002/0.01	1	0.5	ND
Carbofuran	0.002/0.01	1	0.1	ND	Oxamyl	0.002/0.002	1	0.5	ND
Chlorantraniliprole	0.002/0.01	1	3	ND	Paclobutrazol	0.002/0.004	1	0.1	ND
Chloromequat chloride	0.002/0.004	1	3	ND	Permethrins	0.002/0.01	1	1	ND
Chlorpyrifos	0.002/0.01	1	0.1	ND	Phosmet	0.002/0.002	1	0.2	ND
Clofentezine	0.002/0.002	1	0.5	ND	Piperonyl Butoxide	0.002/0.002	1	3	ND
Daminozide	0.01/0.04	1	0.1	ND	Prallethrin	0.002/0.01	1	0.4	ND
Diazinon	0.002/0.01	1	0.2	ND	Propiconazole	0.002/0.04	1	1	ND
Dichlorvos	0.002/0.04	1	0.1	ND	Propoxur	0.002/0.01	1	0.1	ND
Dimethoate	0.002/0.002	1	0.1	ND	Pyrethrins	0.001/0.013	1	1	ND
Dimethomorph	0.001/0.002	1	3	ND	Pyridaben	0.002/0.002	1	3	ND
Ethoprophos	0.002/0.01	1	0.1	ND	Spinetoram	0.001/0.003	1	3	ND
Etofenprox	0.002/0.002	1	0.1	ND	Spinosad	0.001/0.001	1	3	ND
Etoxazole	0.002/0.002	1	1.5	ND	Spiromesifen	0.002/0.002	1	3	ND
Fenhexamid	0.01/0.04	1	3	ND	Spirotetramat	0.002/0.01	1	3	ND
Fenoxycarb	0.002/0.004	1	0.1	ND	Spiroxamine	0.002/0.04	1	0.1	ND
Fenpyroximate	0.002/0.002	1	2	ND	Tebuconazole	0.01/0.04	1	1	ND
Fipronil	0.002/0.004	1	0.1	ND	Thiacloprid	0.002/0.002	1	0.1	ND
Flonicamid	0.002/0.01	1	2	ND	Thiamethoxam	0.002/0.01	1	1	ND
Fludioxonil	0.002/0.004	1	3	ND	Tri oxystrobin	0.002/0.002	1	3	ND
Hexythiazox	0.002/0.004	1	2	ND					

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208

Davie, FL 33314

(954) 514-9343



This COA is governed by the terms and conditions listed on: <https://www.greenscientificlabs.com/terms-of-use>

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 80282

Retail Batch #:

G241030001

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 2816

SOP: 405

Batch Number: 60537

Batch Date: 10/08/2024 13:26:37

Sample Analysis

Date/Time: 10/09/2024 16:18:35

Tech: 3445

SOP: 405

Final Weight: 0.0481 g

Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL	ACTION LIMIT(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL	ACTION LIMIT(ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	ND	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	ND	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396

SOP: 428

Batch Number: 60537

Batch Date: 10/08/2024 12:01:26

Sample Analysis

Date/Time: 10/09/2024 15:09:55

Tech: 3396

SOP: 428

Final Weight: 0.2177 g

Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208

Davie, FL 33314

(954) 514-9343





Order #: 80282
Retail Batch #:
G241030001

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 60537
Batch Date: 10/08/2024 11:08:34

Date/Time: 10/09/2024 17:43:46
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.0084 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 60537
Batch Date: 10/08/2024 12:26:50

Date/Time: 10/09/2024 18:37:23
Tech: 4297
SOP: 406

Sample Analysis

Final Weight: 1.0096 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Aspergillus awus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus fumigatus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus niger	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus terreus	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 60537
Batch Date: 10/08/2024 12:42:25

Date/Time: 10/09/2024 18:57:36
Tech: 4297
SOP: 406

Sample Analysis

Final Weight: 1.0096 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 80282
Retail Batch #:
G241030001

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

MICROBIAL ANALYSIS
PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 60537
Batch Date: 10/08/2024 12:01:15

Sample Analysis

Date/Time: 10/09/2024 12:25:35
Tech: 4297
SOP: 406

Final Weight: 1.0096 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pathogenic e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director

Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



This COA is governed by the terms and conditions listed on: <https://www.greenscientificlabs.com/terms-of-use>



Order #: 80282
Retail Batch #:
G241030001

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004

COA

Diana Asensio, M.S.

Lab Director



Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343

